

Anti-MRPL50 Polyclonal Antibody

Cat: K108128P

Summary:

[Product name]: Anti-MRPL50 antibody **[Source]**: Rabbit

【Isotype】: IgG 【Species reactivity】: Human Mouse Rat

【Calculated】: MW:16/18kDa

[Purification]: Affinity purification

【Tested applications】: IHC

【Recommended dilution】: IHC 1:50-200.

【IHC Positive sample】: Human colorectal cancer

[Subcellular location]: Cytoplasm

[Immunogen]: Recombinant protein of human MRPL50


【Storage】: Shipped at 4°C. Upon delivery aliquot and store at -20°C

Background:

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a putative 39S subunit protein and belongs to the L47P ribosomal protein family. Pseudogenes corresponding to this gene are found on chromosomes 2p, 2q, 5p, and 10q.



Verified picture



Immunohistochemistry of paraffin-embedded Human colorectal cancer with MRPL50 antibody diluted at 1:100