

## Surfactant L-77

**Cat:** S9430

**Size:** 10mL

**Storage:** Store at room temperature , valid for 2 year.

### Technical Data Sheet

Surfactant L-77 is a unique surfactant designed to improve the spreading and wetting properties of pesticide spray mixes. Surfactant L-77 utilizes unique organosilicone chemistry which provides the most complete coverage possible. Surfactant L-77 can improve cuticular penetration of plant surfaces by the spray mix. Optimum application and resultant effects can be influenced by many factors. Consequently, it is recommended that careful observation of the spray deposit be made and adjuvant rates adjusted accordingly. Applications should be made to ensure thorough coverage without excessive run-off.

### Typical Properties

Physical appearance Clear, light amber liquid

Pounds per gallon 8.370 Specific gravity 1.0 - 1.01 pH (1.0%) 6.0 - 7.0

Freeze Point less than 35 degrees F

Surface Tension (0.125% v/v) less than 25 dynes/cm Contact Angle (0.125% v/v) less than 5 degrees F Draves Wet Time (0.125% v/v) less than 15.0 seconds

### General Product Information

- (1) Surfactant L-77 contains organosilicone surfactants designed to provide superior wetting and coverage.
- (2) Surfactant L-77 can improve water penetration of hard to wet soils and provide more uniform distribution of applied moisture.
- (3) Surfactant L-77 is generally compatible with pesticides and fertilizer solutions.
- (4) Surfactant L-77 may cause excessive foam if not properly added to the spray tank. To minimize foam generation, add Surfactant L-77 to the tank after all other ingredients are added. If foaming is still a concern, add an antifoaming agent, such as FOAMBUSTER or COMBAT PLUS to the tank prior to adding Surfactant L-77.
- (5) Do not allow spray mixes containing Surfactant L-77 to sit over 36 hours.