

5% yellow SDS-PAGE concentrated adhesive premix

Item number: P1220 Specification: 100mL

Storage: 2-8°C store away from light, shelf life of 1 year

Product Introduction:

5% Yellow SDS-PAGE concentrated adhesive premix, including Tric-HCl (pH6.8), Acr-Bis(29:1), SDS, yellow dye and other ingredients, can be used to quickly configure 5% yellow SDS-PAGE concentrated adhesive.

Instructions for use (for reference only):

1, in the 5% yellow SDS-PAGE concentrated glue premix, according to the proportion of 1% to add the corresponding amount of 10% ammonium persulfate or its substitute solution, according to the proportion of 0.1% to add the corresponding amount of TEMED. For example, in 10mL of 5% yellow SDS-PAGE concentrated glue premix, add 100µL 10% ammonium persulfate or its substitute solution and 10µL TEMED or its substitute solution. Remove the liquid covered by the separation glue, as clean as possible, and then pour into the 5% yellow SDS-PAGE upper glue premix with 10%PAGE glue coagulant solution and PAGE glue accelerator, insert the comb, when the upper glue solidifies, it indicates that the gum making step is over, and you can prepare for the subsequent electrophoresis. The concentrated glue produced by the premix is yellow, the sample hole is clear, and it is easy to sample, and does not affect the follow-up experiment.

| Ingredients | Volume (mL) of each ingredient needed to prepare different volume concentrated glue premixes | | | | | |
|---|--|-------|------|------|------|------|
| 5% yellow SDS-PAGE concentrated glue premix | 2 | 5 | 10 | 20 | 30 | 50 |
| 10%PAGE Glue coagulant | 0.02 | 0.05 | 0.1 | 0.2 | 0.3 | 0.5 |
| PAGE adhesive coagulant | 0.002 | 0.005 | 0.01 | 0.02 | 0.03 | 0.05 |

Note:

- 1. In winter, when the room temperature is low, you can add a small amount of TEMED to promote gel solidification; Glue can also be put in 37°C temperature box solidification.
- 2. Sds-page concentrated glue premix contains SDS, if placed at low temperature precipitation, the solution can be restored to room temperature, to be dissolved after precipitation before use.
- 3. PAGE adhesive accelerator and 10%PAGE adhesive coagulant are added last, and the reagent added before adding should be mixed. 10%PAGE glue coagulant solution is valid for one week at 4°C; PAGE adhesive coagulant is volatile, please close the bottle cap tightly after use.
- 4. There is dye in the premix which may precipitate, shake well before use.

Related products:

A1030 10%PAGE adhesive coagulant

A1050 5% SDS-PAGE Concentrated glue Premix

T8090 PAGE Glue Accelerator



A1010 30% Acr/Bis (29:1)

P1300 Coomassie Brilliant Blue Quick Dyeing Solution

P1015 4×Protein Loading Buffer (DTT included)
PC0020 BCA protein concentration determination kit

PR1600 prestain with low molecular weight protein MARKER