

## 磷钼酸水溶液(1%)

货号: G3472

规格: 100mL

保存: 2-8°C, 避光保存, 有效期 6 个月。

### 产品介绍:

染色后用某些特定的溶液将组织过多结合的染色剂脱去, 这个过程称为分化作用, 所用的溶液称为分化液。磷钼酸水溶液(1%)常用于三色染色后的分化, 保证不同组织间染色形成鲜明的对比。

### 操作步骤: (仅供参考)

1. 根据实验具体要求操作。
2. 分化时间根据染色深浅而定, 一般 1-3min。

### 注意事项:

1. 上述试剂有刺激性, 请小心操作。
2. 为了您的安全和健康, 请穿实验服并戴一次性手套操作。





## Phosphomolybdic Acid Solution, 1%

**Cat:** G3472

**Size:** 100mL

**Storage:** 2-8°C, avoid light, valid for 6 months.

### Introduction

After staining, some specific solutions are used to remove the excessive binding dye with tissues. This process is called differentiation, and the used solution is called differentiation solution. Phosphomolybdic Acid Solution, 1% is used for differentiation of trichrome staining to ensure a sharp contrast between different tissues.

### Protocol(for reference only)

1. Operate according to the specific requirements of the experiment.
2. The differentiation time depends on the staining degree, generally for 1-3min.

### Note

1. The solution is irritant, please operate carefully.
2. For your safety and health, please wear experimental clothes and disposable gloves.

